

From: [Ferreira, Steve](#)
To: [Finnegan, Ann](#)
Cc: [Fetcie, Katherine](#)
Subject: RE: Soil from 1000 Inman Avenue
Date: Thursday, May 05, 2022 9:22:13 AM

Just spoke with Weston, and they will be discussing it internally and get back to us in a few days.

From: Finnegan, Ann <Finnegan.Ann@epa.gov>
Sent: Wednesday, May 04, 2022 3:22 PM
To: Ferreira, Steve <Ferreira.Steve@epa.gov>
Cc: Fetcie, Katherine <Fetcie.Katherine@epa.gov>
Subject: FW: Soil from 1000 Inman Avenue

FYI...

From: Fetcie, Katherine <Fetcie.Katherine@epa.gov>
Sent: Wednesday, May 04, 2022 3:16 PM
To: ramin.ansari@lanxess.com; lisa.kirby@lanxess.com
Cc: Finnegan, Ann <Finnegan.Ann@epa.gov>
Subject: Soil from 1000 Inman Avenue

Mr. Ansari and Ms. Kirby,

Thank you for speaking with us today about certain remediation work conducted at the Lanxess facility in Edison, NJ. After reviewing a recent manifest from your site for 67 drums of PCB contaminated soil, we would like to clear up some issues that arose regarding the current work.

EPA is fully aware that there is currently an approved remediation going on at the site. However, the responsible party for that work is Weston Solutions. Since these recent manifests for PCB waste have listed Lanxess as the generator, we would ask that you please explain this change. You may discuss any communication or agreement with Weston that may have occurred.

As part of your response, we would also ask that you identify the source of the waste involved. Please describe the exact location and situation of the PCB material, the source of PCB contamination if known, the concentration, and any inclusion in the approved remediation.

We appreciate your promptness in regards to this matter. If you have any questions on this matter, please feel free to contact me.

Katherine Fetcie
USEPA Region 2
2890 Woodbridge Avenue
Edison, NJ 08837
Fetcie.katherine@epa.gov

